

Why change to Gyvlon

	Lafarge Gyvlon	Sand and Cement
Productivity	<ul style="list-style-type: none"> ✓ Easily up to 2000 M² per day ✓ Average 500 - 1000 M² per day 	<ul style="list-style-type: none"> ✗ Only 100 to 150 M² per day
How quickly can you walk on the floor	<ul style="list-style-type: none"> ✓ Within 24 to 48 hours ✓ No curing needed 	<ul style="list-style-type: none"> ✗ Should not be walked on for 7 days ✗ Requires covering and curing
Joints	<ul style="list-style-type: none"> ✓ 30 - 40 linear metres ✓ Following building construction joints 	<ul style="list-style-type: none"> ✗ Can only be laid in small bays of between 5 - 7 linear metres
Performance	<ul style="list-style-type: none"> ✓ Very low shrinkage ✓ Minimal cracking ✓ Will not curl 	<ul style="list-style-type: none"> ✗ Shrinks ✗ Cracks ✗ Curls
Surface Finish	<ul style="list-style-type: none"> ✓ Easily achieves SR2 under BS6204 	<ul style="list-style-type: none"> ✗ Dependent on contractor ✗ Curls and cracks at joints
On insulation	<ul style="list-style-type: none"> ✓ No reinforcement required ✓ 40mm minimum thickness in commercial buildings ✓ 35mm minimum in domestic buildings 	<ul style="list-style-type: none"> ✗ D49 or fibre reinforcement ✗ 65mm minimum thickness
Un-bonded Floor Construction	<ul style="list-style-type: none"> ✓ Polythene laid directly to substrate minimum preparation ✓ No reinforcement ✓ 30mm minimum thickness 	<ul style="list-style-type: none"> ✗ D49 or fibre reinforcement ✗ 50mm minimum thickness
Average Drying Times	<ul style="list-style-type: none"> ✓ 1mm per day up to 40mm ✓ Dependent on site conditions 	<ul style="list-style-type: none"> ✗ 11 weeks at 75mm thickness ✗ Dependent on site conditions
Quality Control	<ul style="list-style-type: none"> ✓ Produced under BS EN 13454 	<ul style="list-style-type: none"> ✗ Often mixed on site by hand with little control ✗ Labour Intensive ✗ Inconsistent
Cost	<p>In most applications Lafarge Gyvlon gives cost / time savings over traditional hand applied sand and cement screed.</p>	



carter.
CONSTRUCTION
Telephone: 01332 381601